



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C12Q 1/68, A01K 67/027, C12N 15/12	A1	(11) International Publication Number: WO 99/29896 (43) International Publication Date: 17 June 1999 (17.06.99)
(21) International Application Number: PCT/CA98/01133 (22) International Filing Date: 7 December 1998 (07.12.98) (30) Priority Data: 2,218,199 9 December 1997 (09.12.97) CA (71) Applicant (for all designated States except US): MCGILL UNIVERSITY [CA/CA]; 845 Sherbrooke Street West, Montréal, Québec H3A 2T5 (CA). (72) Inventors; and (75) Inventors/Applicants (for US only): ROULEAU, Guy, A. [CA/CA]; Appartement 7, 4850 Côte Saint-Luc, Montréal, Québec H3W 2H2 (CA). BRAIS, Bernard [CA/CA]; 745 Champagnieur, Outremont, Québec H2V 3P9 (CA). (74) Agents: COTE, France et al.; Swabey Ogilvy Renault, Suite 1600, 1981 McGill College Avenue, Montréal, Québec H3A 2Y3 (CA).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: SHORT GCG EXPANSIONS IN THE <i>PAB II</i> GENE FOR OCULOPHARYNGEAL MUSCULAR DYSTROPHY AND DIAGNOSTIC THEREOF		
(57) Abstract <p>The present invention relates to a human PAB II gene containing transcribed polymorphic GCG repeat, which comprises a sequence as set forth in SEQ ID NO:3, which includes introns and flanking genomic sequence. The allelic variants of GCG repeat of the human PAB II gene are associated with a disease related with protein accumulation in nucleus, such as polyalanine accumulation, a disease related with swallowing difficulties, such as oculopharyngeal muscular dystrophy. The present invention also relates to a method for the diagnosis of a disease with protein accumulation in nucleus, which comprises the steps of: a) obtaining a nucleic acid sample of said patient; and b) determining allelic variants of GCG repeat of the gene of claim 1, and wherein long allelic variants are indicative of a disease related with protein accumulation in nucleus.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

**SHORT GCG EXPANSIONS IN THE PAB II GENE FOR OCULO-
PHARYNGEAL MUSCULAR DYSTROPHY AND DIAGNOSTIC THEREOF**

BACKGROUND OF THE INVENTION

5 (a) Field of the Invention

The invention relates to PAB II gene, and its uses thereof for the diagnosis, prognosis and treatment of a disease related with protein accumulation in nucleus, such as oculopharyngeal muscular dystrophy.

10 (b) Description of Prior Art

Autosomal dominant oculopharyngeal muscular dystrophy(OPMD) is an adult-onset disease with a world-wide distribution. It usually presents in the sixth decade with progressive swallowing difficulties (dysphagia), eye lid drooping (ptosis) and proximal limb weakness. Unique nuclear filament inclusions in skeletal muscle fibers are its pathological hallmark (Tome, F.M.S. & Fardeau, *Acta Neuropath.* **49**, 85-87 (1980)). We isolated the poly(A) binding protein II (PAB II) gene from a 217 kb candidate interval in chromosome 14q11. A (GCG)₆ repeat encoding a polyalanine tract located at the N-terminus of the protein was expanded to (GCG)₈₋₁₃ in the 144 OPMD families screened. More severe phenotypes were observed in compound heterozygotes for the (GCG)₉ mutation and a (GCG)₇ allele found in 2% of the population, whereas homozygosity for the (GCG)₇ allele leads to autosomal recessive OPMD. Thus the (GCG)₇ allele is an example of a polymorphism which can act as either a modifier of a dominant phenotype or as a recessive mutation. Pathological expansions of the polyalanine tract may cause mutated PAB II oligomers to accumulate as filament inclusions in nuclei.

It would be highly desirable to be provided with a tool for the diagnosis, prognosis and treatment of a disease related with polyalanine accumulation in nucleus, such as oculopharyngeal muscular dystrophy.

SUMMARY OF THE INVENTION

One aim of the present invention is to provide a tool for the diagnosis, prognosis and treatment of a disease related with polyalanine accumulation in nucleus, such as oculopharyngeal muscular dystrophy.

In accordance with the present invention there is provided a human PAB II gene containing transcribed polymorphic GCG repeat, which comprises a sequence as set forth in Fig. 4, which includes introns and flanking genomic sequence.

The allelic variants of GCG repeat of the human PAB II gene are associated with a disease related with protein accumulation in nucleus, such as polyalanine accumulation, or with a disease related with swallowing difficulties, such as oculopharyngeal muscular dystrophy.

In accordance with the present invention there is also provided a method for the diagnosis of a disease with protein accumulation in nucleus, which comprises the steps of:

- a) obtaining a nucleic acid sample of said patient; and
- b) determining allelic variants of GCG repeat of the gene of the human PAB II gene, and wherein long allelic variants are indicative of a disease related with protein accumulation in nucleus, such as polyalanine accumulation and oculopharyngeal muscular dystrophy.

The long allelic variants have from about 245 to about 263 bp in length.

In accordance with the present invention there is also provided a non-human mammal model for the PAB II gene of the human PAB II gene, whose germ cells and somatic cells are modified to express at least one allelic variant of the PAB II gene and wherein said

allelic variant of the PAB II being introduced into the mammal, or an ancestor of the mammal, at an embryonic stage.

In accordance with the present invention there is also provided a method for the screening of therapeutic agents for the prevention and/or treatment of oculopharyngeal muscular dystrophy, which comprises the steps of:

- a) administering said therapeutic agents to the non-human mammal of the present invention or oculopharyngeal muscular dystrophy patients; and
- b) evaluating the prevention and/or treatment of development of oculopharyngeal muscular dystrophy in said mammal or said patients.

In accordance with the present invention there is also provided a method to identify genes part of or interacting with a biochemical pathway affected by PAB II gene, which comprises the steps of:

- a) designing probes and/or primers using the hGT1 gene of the PAB II gene and screening oculopharyngeal muscular dystrophy patients samples with said probes and/or primers; and
- b) evaluating the identified gene role in oculopharyngeal muscular dystrophy patients.

BRIEF DESCRIPTION OF THE DRAWINGS

Figs. 1A-B illustrate the positional cloning of the PAB II gene;

Figs. 2A-G illustrate the OPMD (GCG)_n expansion sizes and sequence of mutations (SEQ ID NOS:1-2);

Fig. 3 illustrates the age distribution of swallowing time (st) for French Canadian OPMD carriers of the (GCG)₉ mutation; and

Fig. 4 illustrates the nucleotide sequence of human poly(A) binding protein II (hPAB II) (SEQ ID NO:3).

5 **DETAILED DESCRIPTION OF THE INVENTION**

In order to identify the gene mutated in OPMD, we constructed a 350 kb cosmid contig between flanking markers D14S990 and D14S1457 (Fig. 1A). Positions of the PAB II selected cDNA clones in relation to the
10 EcoRI restriction map and the Genealogy-based Estimate of Historical Meiosis (GEHM)-derived candidate interval (Rommens, J.M. et al., in *Proceedings of the third international workshop on the identification of transcribed sequences* (eds. Hochgeschwender, U. & Gardiner,
15 K.) 65-79 (Plenum, New York, 1994)).

The human poly(A) binding protein II gene (PAB II) is encoded by the nucleotide sequence as set forth in Fig. 4.

Twenty-five cDNAs were isolated by cDNA selection from the candidate interval (Rommens, J.M. et al., in *Proceedings of the third international workshop on the identification of transcribed sequences* (eds. Hochgeschwender, U. & Gardiner, K.) 65-79 (Plenum, New York, 1994)). Three of these hybridized to a common 20
20 kb EcoRI restriction fragment and showed high sequence homology to the bovine poly(A) binding protein II gene (bPAB II) (Fig. 1A). The PAB II gene appeared to be a good candidate for OPMD because it mapped to the genetically defined 0.26 cM candidate interval in 14q11
30 (Fig. 1A), its mRNA showed a high level of expression in skeletal muscle, and the PAB II protein is exclusively localized to the nucleus (Krause, S. et al., *Exp. Cell Res.* **214**, 75-82 (1994)) where it acts as a factor in mRNA polyadenylation (Whale, E., *Cell* **66**,
35 759-768 (1991); Whale, E. et al., *J. Biol. Chem.* **268**,

2937-2945 (1993); Bienroth, S. et al., EMBO J. 12, 585-594 (1993)).

We subcloned a 8 kb HindIII genomic fragment containing the PAB II gene, and sequenced 6002 bp
5 (GenBank: AF026029) (Nemeth, A. et al., *Nucleic Acids Res.* 23, 4034-4041 (1995)) (Fig. 1B). Genomic structure of the PAB II gene, and position of the OPMD (GCG)_n expansions. Exons are numbered. Introns 1 and 6 are variably present in 60% of cDNA clones. ORF, open read-
10 ing frame; cen, centromere and tel, telomere.

The coding sequence was based on the previously published bovine sequence (GenBank: X89969) and the sequence of 31 human cDNAs and ESTs. The gene is composed of 7 exons and is transcribed in the cen-qter
15 orientation (Fig. 1B). Multiple splice variants are found in ESTs and on Northern blots (Nemeth, A. et al., *Nucleic Acids Res.* 23, 4034-4041 (1995)). In particular, introns 1 and 6 are present in more than 60% of clones (Fig. 1B) (Nemeth, A. et al., *Nucleic Acids Res.*
20 23, 4034-4041 (1995)). The coding and protein sequences are highly conserved between human, bovine and mouse (GenBank: U93050). 93% of the PAB II sequence was readily amenable to RT-PCR- or genomic-SSCP screening. No mutations were uncovered using both techniques. How-
25 ever, a 400 bp region of exon 1 containing the start codon could not be readily amplified. This region is 80% GC rich. It includes a (GCG)₆ repeat which codes for the first six alanines of a homopolymeric stretch of 10 (Fig. 2G). Nucleotide sequence of the mutated
30 region of PAB II. Amino acid sequences of the N-terminus polyalanine stretch and position of the OPMD alanine insertions.

Special conditions were designed to amplify by PCR a 242 bp genomic fragment including this GCG-
35 repeat. The (GCG)₆ allele was found in 98% of French

Canadian non-OPMD control chromosomes, whereas 2% of chromosomes carried a (GCG)₇ polymorphism (n=86) (Brais, B. et al., *Hum. Mol. Genet.* **4**, 429-434 (1995)).

Screening OPMD cases belonging to 144 families showed in all cases a PCR product larger by 6 to 21 bp than that found in controls (Fig. 2A). (GCG)₆ normal allele (N) and the six different (GCG)_n expansions observed in 144 families.

Sequencing of these fragments revealed that the increased sizes were due to expansions of the GCG repeat (Fig. 2G). Fig. 2F shows the sequence of the (GCG)₉ French Canadian expansion in a heterozygous parent and his homozygous child. Partial sequence of exon 1 in a normal (GCG)₆ control (N), a heterozygote (ht.) and a homozygote (hm.) for the (GCG)₉-repeat mutation. The number of families sharing the different (GCG)_n-repeats expansions is shown in Table 1.

Table 1

Number of families sharing the different dominant (GCG)_n OPMD mutations

20

Mutations	Polyalanine	Families
(GCG) ₈	12	4
(GCG) ₉	13	99
(GCG) ₁₀	14	19
(GCG) ₁₁	15	16
(GCG) ₁₂	16	5
(GCG) ₁₃	17	1
Total		144

†, 10 alanine residues in normal PAB II.

The (GCG)₉ expansion shared by 70 French Canadian families is the most frequent mutation we observed (Table 1). The (GCG)₉ expansion is quite stable, with a single doubling observed in family F151 in an estimated 598 French Canadian meioses (Fig. 2C). The doubling of

25

the French Canadian (GCG)₉ expansion is demonstrated in Family F151.

This contrasts with the unstable nature of previously described disease-causing triplet-repeats
5 (Rosenberg, R.N., *New Eng. J. Med.* 335, 1222-1224 (1996)).

Genotyping of all the participants in our clinical study of French Canadian OPMD provided molecular insights into the clinical variability observed in this
10 condition. The genotypes for both copies of the PAB II mutated region were added to an anonymous version of our clinical database of 176 (GCG)₉ mutation carriers (Brais, B. et al., *Hum. Mol. Genet.* 4, 429-434 (1995)). Severity of the phenotype can be assessed by the swallowing time (st) in seconds taken to drink 80 cc of
15 ice-cold water (Brais, B. et al., *Hum. Mol. Genet.* 4, 429-434 (1995); Bouchard, J.-P. et al., *Can. J. Neurol. Sci.* 19, 296-297 (1992)). The late onset and progressive nature of the muscular dystrophy is clearly illustrated in heterozygous carriers of the (GCG)₉ mutation
20 (bold curve in Fig. 3) when compared the average st of control (GCG)₆ homozygous participants (n=76, thinner line in Fig. 3). The bold curve represents the average OPMD st for carriers of only one copy of the (GCG)₉ mutation (n=169), while the thinner line corresponds to
25 the average st for (GCG)₆ homozygous normal controls (n=76). The black dot corresponds to the st value for individual VIII. Roman numerals refer to individual cases shown in Figs. 2B, 2D and discussed in the text.
30 Genotype of a homozygous (GCG)₉ case and her parents (Fig. 2B). Independent segregation of the (GCG)₇ allele. Case V has a more severe OPMD phenotype (Fig. 2D).

Two groups of genotypically distinct OPMD cases
35 have more severe swallowing difficulties. Individuals

I, II, and III have an early-onset disease and are homozygous for the (GCG)9 expansion ($P < 10^{-5}$) (Figs. 2B, F). Cases IV, V, VI and VII have more severe phenotypes and are compound heterozygotes for the (GCG)9 mutation and the (GCG)7 polymorphism ($P < 10^{-5}$). In Fig. 2D the independent segregation of the two alleles is shown. Case V, who inherited the French Canadian (GCG)9 mutation and the (GCG)7 polymorphism, is more symptomatic than his brother VIII who carries the (GCG)9 mutation and a normal (GCG)6 allele (Figs. 2D and 3). The (GCG)7 polymorphism thus appears to be a modifier of severity of dominant OPMD. Furthermore, the (GCG)7 allele can act as a recessive mutation. This was documented in the French patient IX who inherited two copies of the (GCG)7 polymorphism and has a late-onset autosomal recessive form of OPMD (Fig. 2E). Case IX, who has a recessive form of OPMD, is shown to have inherited two copies of the (GCG)7 polymorphism.

This is the first description of short trinucleotide repeat expansions causing a human disease. The addition of only two GCG repeats is sufficient to cause dominant OPMD. OPMD expansions do not share the cardinal features of "dynamic mutations". The GCG expansions are not only short they are also meiotically quite stable. Furthermore, there is a clear cut-off between the normal and abnormal alleles, a single GCG expansion causing a recessive phenotype. The PAB II (GCG)7 allele is the first example of a relatively frequent allele which can act as either a modifier of a dominant phenotype or as a recessive mutation. This dosage effect is reminiscent of the one observed in a homozygote for two dominant synpolydactyly mutations. In this case, the patient had more severe deformities because she inherited two duplications causing an expansion in the

polyalanine tract of the HOXD13 protein (Akarsu, A.N. et al., *Hum. Mol. Genet.* 5, 945-952 (1996)). A duplication causing a similar polyalanine expansion in the a subunit 1 gene of the core-binding transcription factor
5 (CBF α 1) has also been found to cause dominant cleidocranial dysplasia (Mundlos, S. et al., *Cell* 89, 773-779 (1997)). The mutations in these two rare diseases are not triplet-repeats. The are duplications of "cryptic repeats" composed of mixed synonymous codons and are
10 thought to result from unequal crossing over (Warren, S.T., *Science* 275, 408-409 (1997)). In the case of OPMD, slippage during replication causing a reiteration of the GCG codon is a more likely mechanism (Wells, D.R., *J. Biol. Chem.* 271, 2875-2878 (1996)).

15 Different observations converge to suggest that a gain of function of PAB II may cause the accumulation of nuclear filaments observed in OPMD (Tome, F.M.S. & Fardeau, *Acta Neuropath.* 49, 85-87 (1980)). PAB II is found mostly in dimeric and oligomeric form (Nemeth, A.
20 et al., *Nucleic Acids Res.* 23, 4034-4041 (1995)). It is possible that the polyalanine tract plays a role in polymerization. Polyalanine stretches have been found in many other nuclear proteins such as the HOX proteins, but their functions is still unknown (Davies,
25 S.W. et al., *Cell* 90, 537-548 (1997)). Alanine is a highly hydrophobic amino acid present in the cores of proteins. In dragline spider silk, polyalanine stretches are thought to form B-sheet structures important in ensuring the fibers' strength (Simmons, A.H. et
30 al., *Science* 271, 84-87 (1996)). Polyalanine oligomers have also been shown to be extremely resistant to chemical denaturation and enzymatic degradation (Forood, B. et al., *Bioch. and Biophys. Res. Com.* 211,
35 7-13 (1995)). One can speculate that PAB II oligomers comprised of a sufficient number of mutated molecules

might accumulate in the nuclei by forming undegradable polyalanine rich macromolecules. The rate of the accumulation would then depend on the ratio of mutated to non-mutated protein. The more severe phenotypes
5 observed in homozygotes for the (GCG)₉ mutations and compound heterozygotes for the (GCG)₉ mutation and (GCG)₇ allele may correspond to the fact that in these cases PAB II oligomers are composed only of mutated proteins. The ensuing faster filament accumulation
10 could cause accelerated cell death. The recent description of nuclear filament inclusions in Huntington's disease, raises the possibility that "nuclear toxicity" caused by the accumulation of mutated homopolymeric domains is involved in the molecular pathophysiology of
15 other triplet-repeat diseases (Davies, S.W. et al., *Cell* 90, 537-548 (1997); Scherzinger, E. et al., *Cell* 90, 549-558 (1997); DiFiglia, M. et al., *Science* 277, 1990-1993 (1997)). Future immunocytochemical and expression studies will be able to test this patho-
20 physiological hypothesis and provide some insight into why certain muscle groups are more affected while all tissues express PAB II.

Methods

Contig and cDNA selection

25 The cosmid contig was constructed by standard cosmid walking techniques using a gridded chromosome 14-specific cosmid library (Evans, G.A. et al., *Gene* 79, 9-20 (1989)). The cDNA clones were isolated by cDNA selection as previously described (Rommens, J.M. et al., in *Proceedings of the third international workshop on the identification of transcribed sequences* (eds. Hochgeschwender, U. & Gardiner, K.) 65-79 (Plenum, New York, 1994)).
30

Cloning of the PAB II gene. Three cDNA clones
35 corresponding to PAB II were sequenced (Sequenase,

USB). Clones were verified to map to cosmids by Southern hybridization. The 8 kb HindIII restriction fragment was subcloned from cosmid 166G8 into pBluescriptII (SK) (Stratagene). The clone was sequenced using primers derived from the bPABII gene and human EST sequences. Sequencing of the PAB II introns was done by primer walking.

PAB II mutation screening and sequencing. All cases were diagnosed as having OPMD on clinical grounds (Brais, B. et al., *Hum. Mol. Genet.* 4, 429-434 (1995)). RT-PCR- and genomic SSCP analyses were done using standard protocols (Lafrenière, R.G. et al., *Nat. Genet.* 15, 298-302 (1997)). The primers used to amplify the PAB II mutated region were: 5'-CGCAGTGCCCCGCCTTAGA-3' (SEQ ID NO:4) and 5'-ACAAGATGGCGCCGCGCCCGCCCGGC-3' (SEQ ID NO:5). PCR reactions were performed in a total volume of 15 ml containing: 40 ng of genomic DNA; 1.5 mg of BSA; 1 mM of each primer; 250 mM dCTP and dTTP; 25 mM dATP; 125 mM of dGTP and 125 mM of 7-deaza-dGTP (Pharmacia); 7.5% DMSO; 3.75 mCi[35S]dATP, 1.5 unit of Taq DNA polymerase and 1.5 mM MgCl₂ (Perkin Elmer). For non-radioactive PCR reactions the [35S]dATP was replaced by 225 mM of dATP. The amplification procedure consisted of an initial denaturation step at 95°C for five minutes, followed by 35 cycles of denaturation at 95°C for 15 s, annealing at 70°C for 30 s, elongation at 74°C for 30 s and a final elongation at 74°C for 7 min. Samples were loaded on 5% polyacrylamide denaturing gels. Following electrophoresis, gels were dried and autoradiographs were obtained. Sizes of the inserts were determined by comparing to a standard M13 sequence (Sequenase, USB). Fragments used for sequencing were gel-purified. Sequencing of the mutated fragment using the Amplicycle kit (Perkin Elmer) was done with the 5'-

CGCAGTGCCCCGCCTTAGAGGTG-3' (SEQ ID NO:6) primer at an elongation temperature of 68°C.

Stability of (GCG)-repeat expansions. The meiotic stability of the (GCG)9-repeat was estimated based on our large French Canadian OPMD cohort. We previously established that a single ancestral OPMD carrier chromosome was introduced in the French Canadian population by three sisters in 1648. Seventy of the seventy one French Canadian OPMD families tested to date segregate a (GCG)9 expansion. However, in family F151, the affected brother and sister, despite sharing the French Canadian ancestral haplotype, carry a (GCG)12 expansion twice the size of the ancestral (GCG)9 mutation (Fig. 2C). In our founder effect study, we estimated that 450 (304-594) historical meioses shaped the 123 OPMD cases belonging to 42 of the 71 enrolled families. Our screening of our full set of participants allowed us to identify another 148 (GCG)9 carrier chromosomes. Therefore, we estimate that a single mutation of the (GCG)9 expansion has occurred in 598 (452-742) meioses.

Genotype-phenotype correlations. 176 carriers of at least one copy of the (GCG)9 mutation were examined during the early stage of the linkage study. All were asked to swallow 80 cc of ice-cold water as rapidly as possible. Testing was stopped after 60 seconds. The swallowing time (st) was validated as a sensitive test to identify OPMD cases (Brais, B. et al., *Hum. Mol. Genet.* **4**, 429-434 (1995); Bouchard, J.-P. et al., *Can. J. Neurol. Sci.* **19**, 296-297 (1992)). The st values for 76 (GCG)6 homozygotes normal controls is illustrated in Fig. 3. Analyses of variance were computed by two-way ANOVA (SYSTAT package). For the (GCG)9 homozygotes their mean st value was compared to the mean value for all (GCG)9 heterozygotes aged 35-40 ($P < 10^{-5}$). For the (GCG)9 and (GCG)7 compound heterozygotes their mean st

value was compared to the mean value for all (GCG)9 heterozygotes aged 45-65 ($P < 10^{-5}$).

While the invention has been described in connection with specific embodiments thereof, it will be
5 understood that it is capable of further modifications and this application is intended to cover any variations, uses, or adaptations of the invention following, in general, the principles of the invention and including such departures from the present disclosure
10 as come within known or customary practice within the art to which the invention pertains and as may be applied to the essential features hereinbefore set forth, and as follows in the scope of the appended claims.

WHAT IS CLAIMED IS:

1. A human PAB II gene containing transcribed polymorphic GCG repeat, which comprises a sequence as set forth in SEQ ID NO:3, which includes introns and flanking genomic sequence.
2. The gene of claim 1, wherein allelic variants of GCG repeat are associated with a disease related with protein accumulation in nucleus.
3. The gene of claim 2, wherein said protein accumulation is polyalanine accumulation.
4. The gene of claim 1, wherein allelic variants of GCG repeat are associated with a disease related with swallowing difficulties.
5. The gene of claim 1, wherein said disease is oculopharyngeal muscular dystrophy.
6. A method for the diagnosis of a disease with protein accumulation in nucleus, which comprises the steps of:
 - a) obtaining a nucleic acid sample of said patient; and
 - b) determining allelic variants of GCG repeat of the gene of claim 1, and wherein long allelic variants are indicative of a disease related with protein accumulation in nucleus.
7. The method of claim 6, wherein said disease is oculopharyngeal muscular dystrophy.

8. The method of claim 7, wherein said long allelic variants have from about 245 to about 263 bp in length.


9. A non-human mammal model for the PAB II gene of claim 1, whose germ cells and somatic cells are modified to express at least one allelic variant of the PAB II gene and wherein said allelic variant of the PAB II gene being introduced into the mammal, or an ancestor of the mammal, at an embryonic stage.

10. A method for the screening of therapeutic agents for the prevention and/or treatment of oculopharyngeal muscular dystrophy, which comprises the steps of:


- a) administering said therapeutic agents to the non-human mammal of claim 9 or oculopharyngeal muscular dystrophy patients; and
- b) evaluating the prevention and/or treatment of development of oculopharyngeal muscular dystrophy in said mammal or said patients.

11. A method to identify genes part of or interacting with a biochemical pathway affected by PAB II gene, which comprises the steps of:

- a) designing probes and/or primers using the hGT1 gene of claim 1 and screening oculopharyngeal muscular dystrophy patients samples with said probes and/or primers; and
- b) evaluating the identified gene role in oculopharyngeal muscular dystrophy patients.




Human *PAB II* genomic structure (6002 bp)





○ : (GCG)₉+(GCG)₆
 ▲ : (GCG)₉+(GCG)₇
 ■ : (GCG)₉+(GCG)₉



1 aatgaagggtg gacacccaaa tagccccaat acaaatgcct gttcaatcaa ccaaatctct
61 aagcagcaca tctatgtggt agcataattgc caggccgtga gactgcgaat ataaatagga
121 accgcccctc atctgcaggc gctcacaacc tagttagcaa acagtaaaac aattaagcgc
181 gccgtggaca taggccact tgtcctggga aatgagggga agctggggtt tgcagtgggt
241 tgattgaagg gggactacat gttagaggca cagactgggt gcagggtacac ccaaaggaaac
301 gagaagagtg gaaggaaaca acatccacaa agtaaccaca tgctggcgtg ttagcgggtgc
361 tgatttacgg ttttgagact ttacctcgcc agcaaaaggg agccagtctg gggagcaga
421 agattggagg ggtgacattg gaagctgtcc agaaaaaga aatggaaact gggagcaga
481 aggcctacgc aagagggcgg gacagacagg acttgtact agtagctctg gactgaggaa
541 tcctccctgc tttctgggtg gggagagcta gtggatgatg tgccaataa cctggatggg
601 gaaagtaagc tcctccctgg aatgcttcat tcacaacctc cattttcagc aacatcccat
661 ctactggtgc ttcctggtcg agatacaagt ttcctgaaac tgctgctctg ttttgggcct
721 caccgggcca acagctcact agctggcaag cagtagtata aagatggcgg cccctagga
781 ctggcctagtc atgtgacctc gggtttccca agttgaagc cgggcagtcc tttcgggggc
841 aagggttcacc tgtcacgaaa cgagtgtcac cccttcgact ctcgcaagcc aatcggcatc
901 tgagactggg ccactgcggt gaggcgatcg gaagattggt cctttccagt cgcctagcta
961 gggccaatca cggagcgtcc catacttcgc gggcccgccc gtagggcggg gagaagcagg
1021 aatatcgtca cagcgtggcg gtattattac ctaaggactc gataggaggt gggacgcgtg
1081 ttgattgaca ggcagatttc cctaccggga tttgagaatt tggcgcagtg cccgccttag
1141 aggtgcgctt attgatgtgc caagtaatat tccccaatgg agtactagct catggtgacg

1201 ggcaggcagc ttgagctaatt gagtcctccg tggccggcgc agctctccac atgccggggcg
 1261 gcggggcccca gtctgagcgg cgatggcggc ggcggcggcg gcggcagcag cagcggggggc
 1321 tgcgggcgggt cggggctccg cggggggcgc cgggggggcgc ggcggggcgc gggccgggtgg
 1381 ggaggccggg gagggggccc gagggggcgc cgggggggcgc aggggactac gggaaacggcc tggagtctga
 1441 ggaactggag cctgaggagc tgctgctgga gccgagccg gagcccgagc cgaagagga
 1501 gccgcccccg ccccgcccc gagggggcgc cccggggcgc tccgggccct gggcctggtt cgggagcccc
 1561 cggcagccaa gaggaggagg aggagccggg actggtcgag ggtgacccgg ggtacccggc gggacggcgc
 1621 cattgaggac ccggtgagga aggaggcga gcgagcaggc gcgagcggctgg cggcggcactg
 1681 gaggcccaga gctcgggcga gcggtggcag gcggggggctg ggggtggggc gggaaataacg
 1741 tggctggggc ggtcggggc gggatgggt cagcgatcac ggcgactggc tacaaggggc ccgactggct
 1801 tgattcgggc gtcacgggtg cctagtgttg ttctagagag ggtagctttt cttttatcac
 1861 gacctcgca tggggcgagg gaaatggcgc agcatggctg aggcgcgctc tggccgagag
 1921 cagggcacag cccctgcgtt ggttcctctt aagctgtcct ccataccctc ccacttata
 1981 ttaggagctg gaagctatca aagctcgagt cagggagatg gaggaagaag ctgagaagct
 2041 aaaggagcta cagaacgagg tagagaagca gatgaatatg agtccacctc caggcaatgc
 2101 tgagtaactg gcggttgcac gcggagcccc ggttctcggg ttggaaagggt tgtggggagg
 2161 atggggaatg tggggttaga tactcggcac cctggagctg cttgctctgag ctattatgac
 2221 tgtgccgcgg tcatagtccg ttgtgtgttc ctctgacctt tgtgagggcag aactgatatt
 2281 ttggtggtgg tagccttgtg cctccctttg tcctgttata attgtgttgc tctttattct
 2341 tagtctacgt ctatctttct ttggtagagg ttgctgtctc gcatttgacc ttcaaatcta

5 / 8


 4B

2401 atagtatttc ctccaattgg agacgcttta ggattctaag agaaagcaag ctggaagggg
2461 tttccctttt aaattctaga aatgtggagt ctacagccac ttaattttgc tcaactcttaa
2521 aagcatttca accaaagcca ttcattaggg atttgatttg gagggcagga gggatttccta
2581 tactgtttta agtgttatt aattctttca atttatcgaa ttatttagtg agtaacctgc
2641 tatgcactag gcactattct cggcttgtgg gtacagcagg gaacagcaca gaccaaatac
2701 ttgaccttca ctgagcttat gggatagtgc tgggtggtga agtgcaacat attggtcaag
2761 tagaaaacaa gtgtgtggtt tttgtaaaaa attatttttt cctgatatgt ggcccggtga
2821 tcatgtccat tgaggagaag atggaggctg atgcccgttc catctatgtt ggcaatgtga
2881 cgtactgggg ctctgactgg ggttgggggc aagtctctct tttggggaat tatttaatag
2941 tcctgaaaga acatctccgg gatagatgtg gttttgggtg gcaaaggagt gtgggaaggga
3001 ggttaaaggt aatggaatga tcagtaataca gcaaaaggctc tgggtttgga aggaagaagag
3061 attaatccct caaatacca gatttcatgt gctttggtgt atgatggccc agaccaaagg
3121 ctcgaggagg ttcttttgag acaggaaatt gcctgggtgcc tgtgaaattt ttctctctc
3181 atcagggtga ctatggtgca agcagagaag agctggaagc tcaacttcat ggctgtggtt
3241 cagtcaaccg tgttaccata ctgtgtgaca aatttagtgg ccataccaaa ggtaaaagtaa
3301 aggggagtaa gttgagataa tttaaattac agtgtacaaa tagataaatt atgttttata
3361 ttgagcagta agttatttgg tgtaaacaca ggtgatctgt gtcatttaag atcatggcat
3421 taatgttgat atatcaggag ttgcacctaa atgtcttcag aggccagata acaaaaatga
3481 aggctagatg tgggtgggat tacgaaactag aaggggaggg gcagcttcta ctggccctat
3541 tatggcatat ggaaattcag gccctgtgtg tcttattttt acaaatttca aagagtagct

6 / 8

SUBSTITUTE SHEET (RULE 26)

FIG. 4C

3601 ggaaatttta aaatttaaat gatttcgaat gatttgaatt ttccatttag aagaattttg
 3661 acaataaaaa aatataactg cattgtagcc caaaacgaag catgcctgca ggttgaattt
 3721 gacctgtgag gtatttgtaa cctcagagag atacaatgac aattctttc aggttgcgt
 3781 atatagagtt ctcagacaaa gagtcaagtga ggacttcctt ggccttagat ggtccctat
 3841 ttagaggaaag gcaaatcaag gtaagcctat gtccattgct gttctagttg tgtataaact
 3901 ctccaggttg cctttaaggc tatcatttgt tcattcttga ctcaggtgat ccaaaaacga
 3961 accaacagac caggcatcag cacaacagac cggggttttc cagagcccg ctaccgcgc
 4021 cggaccacca actacaacag ctccgcctct cgatttctaca gtggttttaa cagcaggccc
 4081 cggggtcgcg tctacaggtc aggatagatg ggctgctcct ctcccccg cctcccgta
 4141 gccccgtatg ctccctctc tctggtctga ggaacctccc tccccacc cctccccgtg
 4201 gtcttcagga acttgtctc ctgcctgtgc aggttgagga aggtagtgc aggccaggcc
 4261 agaaggcagc ctcatcatc tttctgcagt agaaattggt gataagggtt gcatccctcc
 4321 ctggttcaa agaggcttc accccagcc ttttttttct tgggagttgg tggcatttga
 4381 aggtgtttgc ggacaaaact gggaggaaac gggcctccag gaagttgaaa gcaactgcttg
 4441 gacatttgtt actttttcg gatttaggga gggattgaag actgaacctc ccttggaaga
 4501 ataccagagg ctagctagtt gatcctcca acagccttgt gggaggattt tgagataact
 4561 attctttatt tgagccagtc ttgcaagggt aacttctcac tgggcctagt gtggtnccca
 4621 ggtttttgcc ttgcttcaact tctgtctcta catttaataa gacgggttag gcataataac
 4681 cttggccttt cataagctct acctgcctat cccagggagt tagggaggat ctatttgtga
 4741 aggccctagg gtttaaaac tgtggaggac tgaaaaaactg gataaaaagg gggtcctttt

7369 - 40

4801 ccttgcccct gtctctcact cagatgcgct tctttttcgc cactgttttg caaagttttc
4861 tgttaagccc ccttccccct gcccagttc tcccaggtgc gttactattt ctgggacatc
4921 ggggtcggtt ttaggacact tgaacactc ttttcccccc ttccttcac agtaactggg
4981 gcaggggcct acggggaggg gctgtactg aactatctag tgatcacgtt aacacctaac
5041 tctccttctt tcttccaggg gccgggctag agcgacatca tggtaattccc cttaataaaa
5101 aaagtgtgta ttaggaggag agagaggaaa aaaagaggaa agaaggaaaa aaaaaagaat
5161 taaaaaaaaa aaaaagaaa acagaagatg accttgatgg aaaaaaata ttttttaaaa
5221 aaagatatata ctgtggaagg ggggagaatc ccataactaa ctgctgagga gggacctgct
5281 ttggggagta ggggaaggcc cagggagtgg ggcagggggc tgcttattca ctctggggat
5341 tcgccatgga cacgtctcaa ctgcgcaagc tgcttgcca tggttccctg ccccttcac
5401 ccccttgggc ctgctcaagg gtagggtggc gtgggtggtg ggagggtttt tttaccacg
5461 ggctctggaa ggacaccaa ctgttctgct tgttacctc cctccgtct tctcctcgcc
5521 ttacacagtc ccctcctgcc tgctcctgct cagccaggct taccaccac ccaaccctc
5581 ttctccggc tccctgccc tccagattgc ctggtgatct attttgtttc cttttgtgtt
5641 tctttttctg ttttgagtgt ctttcttgc aggtttctgt agccggaaga tctccgttcc
5701 gctcccagcg gctccagtgt aaattcccct tccccctggg gaaatgcact acctgtttt
5761 ggggggttta ggggtgtttt tgtttttcag ttgttttgtt tttttgtttt ttttttttcc
5821 ttgccccttt tccccttta tttggaggga atggaggaa gtgggaacag ggagggtggga
5881 ggtggatttt gtttatttt ttagctcatt tccagggtg ggaattttt ttaatatgt
5941 gtcatgaata aagttgttt tgaaaaataa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa
6001 aa

735 - 4E

SEQUENCE LISTING

<110> MCGILL UNIVERSITY
ROULEAU, Guy A.
BRAIS, Bernard

<120> SHORT GCG EXPANSIONS IN THE PAG II GENE
FOR OCULOPHARYNGEAL MUSCULAR DYSTROPHY AND DIAGNOSTIC
THEREOF

<130> 1770-199PCT FC/ld

<150> CA 2,218,199

<151> 1997-12-09

<160> 6

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 57

<212> DNA

<213> Artificial Sequence

<400> 1

atggcgggcgg cggcgggcggc ggcagcagca atggcgggcgg cggcgggcggc ggcggca 57

<210> 2

<211> 35

<212> DNA

<213> Artificial Sequence

<400> 2

maaaaaaaaaa agaaggrgsm aaaaaaaaaa agaag 35

<210> 3

<211> 6002

<212> DNA

<213> Artificial Sequence

<400> 3

aatgaagggtg	gacacccaaa	tagccccaat	acaaatgcct	gttcaatcaa	ccaaacatct	60
aagcagcaca	tctatgtggt	agcatattgc	caggccgtga	gactgcgaat	ataaatagga	120
accgcccttc	atctgcaggc	gtcacaacc	tagttagcaa	acagtaaaac	aattaagcgc	180
gccgtggaca	taggccact	tgctctggga	aatgagggga	agctgggggt	tgagtggtt	240
tgattgaagg	gggactacat	gttagaggca	cagactgggt	gcaggtacac	ccaaaggaac	300
gagaagagtg	gaaggaaaca	acatccacaa	agtaaccaca	tgctggcgta	tcgaaggccg	360
tgatttacgg	ttttgagact	ttacctcgcc	agcaaagggg	ggccagtctg	ttagcgggtg	420
agattggagg	ggtgacattg	gaagctgtcc	aggaaaaaga	aaatggaact	ggggagcaga	480
aggcctacgc	aagagggcgg	gacagacagg	acttgtgact	agtagctctg	gactgaggaa	540
tcctccctgc	tttctgggtg	gggagagcta	gtggatgatg	gtgccaataa	cctggatggg	600
gaaagtaagc	tcctccctgg	aatgcttcat	tcacaacctc	cattttcagc	aacatcccat	660
ctactggtgc	ttctgggtcg	agatacaagt	ttctgaaac	tgctgctctg	ttttgggcct	720
caccgggcca	acagctcact	agctggcaag	cagtagtatc	aagatggcgg	ccccctagga	780
ctggctagtc	atgtgacctc	gggtttccca	agtttgaagc	ccggcagtc	tttcgggggc	840
aaggttcacc	tgtcacgaaa	cgagtgtcac	cccttcgact	ctcgcaagcc	aatcggcac	900
tgagactggg	ccactgcggg	gaggcgatcg	gaagattggg	cctttccagt	cgcctagcta	960

gggccaatca	cggagcgtcc	catacttcgc	gggcccgcgc	gtaggccggg	gagaagcagg	1020
aatatcgta	cagcgtggcg	gtattattac	ctaaggactc	gataggaggt	gggacgcgtg	1080
ttgattgaca	ggcagatttc	cctaccggga	tttgagaatt	tggcgagctg	cccgccttag	1140
aggtgcgctt	atlttgattgc	caagtaatat	tcccgaatgg	agtactagct	catggtgacg	1200
ggcaggcagc	ttgagctaata	gagtcctccg	tggccggcgc	agctctccac	atgccggggcg	1260
gcggggcccca	gtctgagcgg	cgatggcggc	ggcgggcgcg	gcggcagcag	cagcggggggc	1320
tgcgggcggt	cggggctccg	ggcggggggc	gcggcgccat	cttgtgcccc	ggggcggttg	1380
ggaggccggg	gagggggccc	cggggggggc	aggggactac	gggaacggcc	tggagtctga	1440
ggaactggag	cctgaggagc	tgtctgtgga	gcccagagcc	gagcccagag	ccgaagagga	1500
gccgcccccg	ccccgcgcgc	ccccgggagc	tccggggccct	gggcctggtt	cgggagcccc	1560
cggcagccaa	gaggaggagg	aggagccggg	actggtcgag	ggtgaccccg	gggacggcgc	1620
cattgaggac	ccggtgagga	aggagggcga	gcgagcaggc	cggcggtctg	cgcgtcactg	1680
gaggcccaga	gctcggggcg	gcggtggcag	gcgggggggtg	gggttggggcg	gggaataacg	1740
tggctggggc	gggtcggggc	ggggatgggt	cagcgatcac	tacaaggggc	ccgactggct	1800
tgattcgggc	gtcacgggtg	cctagtgttg	ttctagagag	ggtagctttt	cttttatcac	1860
gacctcgca	tggggcgagg	gaaatggccg	agcatggctg	aggcgcgctc	tggccgagag	1920
cagggcacag	ccccctgcgt	ggttcctctt	aagctgtcct	ccataccctc	cccacttata	1980
ttaggagctg	gaagctatca	aagctcgagt	caggagagatg	gaggaagaag	ctgagaagct	2040
aaaggagcta	cagaacgagg	tagagaagca	gatgaatatg	agtccacctc	caggcaatgc	2100
tgagtaactg	gcggttgcac	gcggagcccg	ggttctcggg	ttggaagggt	tgtggggagg	2160
atggggaaatg	tgggggttaga	tactcggcac	cctggagctg	cttgtctgag	ctattatgac	2220
tgtgccgcgg	tcatagtccg	ttgtgtgttc	ctctgacctt	tgtgaggcag	aactgatatt	2280
ttggtgggtg	tagccttgtg	cctccctttg	tcctgtttata	attgtgttgc	tctttattct	2340
tagtctactg	ctatcctttct	ttggtagagg	ttgcgtgtct	gcatttgacc	ttcaaatacta	2400
atagtctttc	ctccaatttg	agacgcttta	ggattctaag	agaaagcaag	ctggaagggg	2460
tttccccctt	aaattctaga	aatgtggagt	ctcagcccac	ttaattttgc	tcactcttaa	2520
aagcatttca	accaaagcca	ttcattaggg	atlttgatttg	gagggcagga	gggattccta	2580
tactgtttta	agtgtgtatt	aattcctttca	atlttatcgaa	ttatlttagtg	agtaacctgc	2640
tatgcactag	gcactattct	cggcttgttg	gtacagcagg	gaacagcaca	gaccaaatac	2700
tttgcccttca	ctgagcttat	gggatagtgc	tgggtgggtga	agtgcacat	attggtcaag	2760
tagaaaacaa	gtgtgtgggt	tttgtaaaaa	attatltttt	cctgatatgt	ggcccggtga	2820
tcattgtccat	tgaggagaag	atggaggctg	atgcccggtc	catctatgtt	ggcaattgtga	2880
cgtactgggg	ctctgactgg	ggttgggggc	aagttcttct	tttgggggaat	tatttaatatg	2940
tcctgaaaag	acatctccgg	gatagatgtg	gttttggttg	tggagggagt	gtgggaagga	3000
gggttaaagg	aatggaatga	tcagtaatca	gcaaaggctc	tgggtttgga	agggaaagag	3060
attaattcct	caaattacca	gatttcatgt	gctttgggtg	atgatggccc	agaccaaagg	3120
ctcgggaggg	ttcttttgag	acaggaatlt	gcctgggtgc	tgtgaaatlt	ttctcctctc	3180
atcagggtgga	ctatggtgca	acagcagaag	agctggaagc	tcactttcat	ggctgtgggt	3240
cagtcaaccg	tgttaccata	ctgtgtgaca	aatlttagtg	ccatcccaaa	ggtaaaagtaa	3300
aggggagtaa	gttgagataa	tttaaattac	agtgtacaaa	tagataaatt	atgttttata	3360
ttgagcagta	agttatttg	tgtaaacaca	ggtgatctgt	gtcattttaag	atcatggcat	3420
taatgttgat	atatcaggag	ttgcacctaa	atgtcttcag	aggccagata	acaaaaatga	3480
aggctagatg	tgggtgggat	tacgaactag	aaggggaggg	gcagcttcta	cttggcctat	3540
tatggcatat	ggaaattcag	gccctgtgtg	tcttattttt	acaaatttca	aagagtagct	3600
ggaaatttta	aaattttaaat	gatttctgaat	gattgaaatt	ttccatttag	aagaatlttg	3660
acaaataaaa	aatataactg	cattgtagcc	caaaacgaag	catgcctgca	ggttgaatlt	3720
gacctgtgag	gtattttgtaa	cctcagagag	atacaatgac	aattcttttc	aggtttgcgt	3780
atatagagtt	ctcagacaaa	gagtcagtga	ggacttccct	ggccttagat	gagtccttat	3840
ttagagggaag	gcaaatacaag	gtaagcctat	gtccattgct	gttctagtgt	tgtataaaact	3900
ctccagggtg	ccttttaaggc	tatcatttgt	tcactctctga	ctcagggtgat	cccaaaacga	3960
accaacagac	caggcatcag	cacaacagac	cgggggtttt	cacgagcccg	ctaccgcgcc	4020
cggaccacca	actacaacag	ctcccgtctc	cgattctaca	gtgggttttaa	cagcaggccc	4080
cggggctcgcg	tctacaggtc	aggatagatg	ggctgtcctc	ctttcccccg	cctccccgtg	4140
gccccgtatg	cttctctctc	tctggctctga	ggaaacctccc	tccccccacc	cctccccgtg	4200
gtcttcagga	actttgtctc	ctgcctgtgc	aggttgagga	aggtagttgc	aggccaggcc	4260
agaaggcagc	ctcatcatct	tttctgcagt	agaaattggg	gataagggct	gcatccctcc	4320
cttggttcaa	agaggcttcc	acccccagcc	ttttttttct	tgggagttgg	tggcatttga	4380

```

aggtgtttgc ggacaaaact gggaggaaca gggcctccag gaagttgaaa gcactgcttg 4440
gacatttggt acttttttcg gagttagga gggattgaag actgaacctc ccttgaaga 4500
ataccagagg ctagctagtt gatcctccca acagccttgt gggaggattt tgagatactt 4560
attctttatt tgagccagtc ttgcaagggt aacttctcac tgggcctagt gtggtnccca 4620
ggtttttgc ttgcttcact tctgtctcta catttaaata gacgggttag gcatataaac 4680
cttggctttt cataagctct acctgcctat ccccaggagt tagggaggat ctatttgtga 4740
aggccctagg gtttaaaaaac tgtggaggac tgaaaaactg gataaaaagg gggtcctttt 4800
ccttgccctt gtctctcact cagatgcgt tctttttcgc cactgttttg caaagttttc 4860
tgttaagccc ccctccctt gcccagttc tcccagggtg gttactattt ctgggatcat 4920
ggggtcggtt ttaggacact tgaacacttc ttttcccccc ttcccttcac agtaactggg 4980
gcaggggcct acggggaggg gcttgtactg aactatctag tgatcacgtt aacacctaac 5040
tctccttctt tcttccaggg gccgggctag agcgacatca tgggtattccc cttactaaaa 5100
aaagtgtgta ttaggaggag agagaggaaa aaaagaggaa agaaggaaaa aaaaaagaat 5160
taaaaaaaaa aaaaagaaaa acagaagatg accttgatgg aaaaaaata tttttaaaa 5220
aaaagatata ctgtggaagg ggggagaatc ccataactaa ctgctgagga gggacctgct 5280
ttggggagta ggggaaggcc caggagtggt ggcagggggc tgcttattca ctctggggat 5340
tcgcatgga cacgtctcaa ctgcgcaagc tgcttgccca tgtttccctg ccccttcac 5400
ccccttgggc ctgctcaagg gtagggtggc gtgggtggta ggagggtttt ttttaccag 5460
ggctctggaa ggacaccaa ctgttctgct tgttaccttc cctcccgctt tctcctcgcc 5520
tttcacagtc ccctcctgcc tgctcctgtc cagccaggtc taccaccac cccaccctc 5580
tttctccggc tccctgcccc tccagattgc ctggtgatct attttgtttc cttttgtgtt 5640
tctttttctg ttttgagtgt ctttctttgc aggtttctgt agccggaaga tctccgttcc 5700
gctcccagcg gctccagtgt aaattccct tccccctggg gaaatgcact acctgtttt 5760
gggggggtta ggggtgtttt tgtttttcag ttgttttgtt tttttgtttt tttttttcc 5820
tttgcccttt ttccctttta tttggaggga atgggaggaa gtgggaacag ggagggtggga 5880
ggtggatttt gtttattttt ttagctcatt tccaggggtg ggaatttttt tttaatatgt 5940
gtcatgaata aagttgtttt tgaaaataaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 6000
aa 6002

```

<210> 4
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<400> 4
 cgcagtgtccc cgccttaga 19

<210> 5
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<400> 5
 acaagatggc gccgccgccc cggc 24

<210> 6
 <211> 23
 <212> DNA
 <213> Artificial Sequence

<400> 6
 cgcagtgtccc cgccttagag gtg 23

INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA 98/01133

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 C12Q1/68 A01K67/027 C12N15/12

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C12Q A01K C12N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	NEMETH A ET AL: "Isolation of genomic and cDNA clones encoding bovine poly(A) binding protein II." NUCLEIC ACIDS RESEARCH, (1995 OCT 25) 23 (20) 4034-41, XP002097093 see the whole document ---	1-5
Y	DATABASE EMBL Entry HS12206 Accession Nr. U12206, 4 March 1995 XP002097097 see abstract ---	1-5
Y	DATABASE EMBL Entry AA618589 Accession Nr. AA618589, 10 October 1997 XP002097098 see abstract ---	1-5
	-/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

18 March 1999

Date of mailing of the international search report

01/04/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Reuter, U

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/CA 98/01133

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No.
A	TEH B T ET AL: "Oculopharyngeal muscular dystrophy (OPMD)--report and genetic studies of an Australian kindred." CLINICAL GENETICS, (1997 JAN) 51 (1) 52-5, XP002097094 see the whole document ---	1-10
A	BRAIS B ET AL: "Using the full power of linkage analysis in 11 French Canadian families to fine map the oculopharyngeal muscular dystrophy gene." NEUROMUSCULAR DISORDERS, (1997 OCT) 7 SUPPL 1 S70-4, XP002097095 see page 70 see page 74 ---	1-10
A	RIGGINS G J ET AL: "HUMAN GENES CONTAINING POLYMORPHIC TRINUCLEOTIDE REPEATS" NATURE GENETICS, vol. 2, no. 3, November 1992, pages 186-191, XP000196593 see the whole document ---	1-10
P,X	BRAIS B ET AL: "Short GCG expansions in the PABP2 gene cause oculopharyngeal muscular dystrophy" NATURE GENETICS, (1998 FEB) 18 (2) 164-7 , XP002097096 see the whole document ---	1-10
P,X	WO 98 31800 A (KRISSANSEN GEOFFERY W ;AUCKLAND UNISERVICES LTD (NZ); HUMAN GENOME) 23 July 1998 see page 67 - page 68; claims 1-3 -----	1-5

INTERNATIONAL SEARCH REPORT

International application No.

PCT/CA 98/01133

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
Remark: Although claim 10 is directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. ☒ Claims Nos.: 11
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
Claim 11 is obscure. The mentioned hGT1 gene is not mentioned in claim 1, and claim 11 lacks technical details.
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/CA 98/01133

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9831800 A	23-07-1998	AU 5923398 A	07-08-1998
		AU 6030398 A	07-08-1998
		WO 9831799 A	23-07-1998
		AU 5927398 A	07-08-1998
		AU 6241698 A	07-08-1998
		WO 9831818 A	23-07-1998
		WO 9831801 A	23-07-1998
		WO 9831806 A	23-07-1998